	Application No.	Applicant(s)	00
Notice of Allowability	10/054,228	SOLED ET AL.	(V)
	Examiner	Art Unit	
	La cas N. Okrahland	4754	
	Jonas N. Strickland	1754	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed on 3/16/04.			
2. 🔀 The allowed claim(s) is/are <u>1-4,9-13,18-21,26 and 27</u> .			
3. The drawings filed on 17 November 2003 are accepted by the Examiner.			
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>			
<ol> <li>Certified copies of the priority documents have been received.</li> </ol>			
2.  Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.			
(a) The translation of the foreign language provisional application has been received.			
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE			
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
8. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1)  hereto or 2)  to Paper No			
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.			
(c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).			
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
1 Notice of References Cited (PTO-892)	5∐ Notice of Informal Pa	tent Application (PTO	-152)
2 Notice of Draftperson's Patent Drawing Review (PTO-948)	6☐ Interview Summary (F	PTO-413), Paper No.	·
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No	), 7⊠ Examiner's Amendme	ent/Comment	
4☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemen 9□ Other .	t of Reasons for Allov	vance

Application/Control Number: 10/054,228

Art Unit: 1754

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Estelle C. Bakun on 4/2/04.

The application has been amended as follows:

In Claim 1, line 3; -- regenerated, but reactivated – has been inserted before "catalyst".

The following is an examiner's statement of reasons for allowance: The instantly claimed invention is allowable over the cited prior art, because the cited prior art fails disclose wherein a <u>regenerated</u>, <u>but not reactivated catalyst</u> is activated in a slurry HCS reactor at HCS reaction conditions.

The cited prior, Pedrick discloses rejuvenating a reversibly deactivated catalyst by treating the catalyst with hydrogen in a slurry phase reactor. However, Pedrick does not disclose wherein introducing a regenerated but not reactivated catalyst into an HCS reactor.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/054,228

Art Unit: 1754

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonas N. Strickland whose telephone number is 571-272-1359. The examiner can normally be reached on M-TH, 7:30-5:00, off 1st Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on 571-272-1358. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-1700.

Jonas N. Strickland April 2, 2004

> Supervisory patent examinei Technology center 1700